




VALUE THAT REFLECTS  
**EXCELLENCE**

www.  
[neolexsanitaryware.com](http://neolexsanitaryware.com)



VALUE ADDED  
CATALOGUE

**MRP PRICE LIST  
W.E.F. NOV-2025**

# So...who invented The Toilet?



Actually, there is no known single inventor or individual invention of what we now know as the toilet, and all of its many synonyms. What we do have is a generally known and accepted historical timeline listing milestones along the way of the evolution of the toilet.

## A Toilet Timeline



### Dug wells – 8400 BC

"The oldest reliably dated well is from the pre-pottery neolithic (PPN) site of Kissonerga - Mylouthkia on Cyprus. At around 8400 BC"



### Indus Valley Civilisation

Indus Valley Civilisation 3000 – 2000BC The Indus Valley introduce structured water drainage system, a major leap in sanitation history.



### Flushing invention 12th-13th century

The Arabian or Persian inventor Al-Jazari invented a hand washing device incorporating the flush mechanism now used in modern flush toilets.



### 206 BC to 24 AD

A toilet was discovered in the tomb of a Chinese King of the Western Han Dynasty that dates back to 206 BC to 24 AD.



### The Toilet in The Medieval Period

Medieval toilets, often called garderobes or privies, were rudimentary structures, usually small rooms or alcoves built into castle walls, with a hole for waste disposal.



### Ancient flush toilet systems (2500 BC)

Another feature of the Indus Valley Civilization was water-flushed toilets. Both in Harappa and Mohenjo-daro, almost every home had a flush toilet, connected to a sophisticated sewage system.



### The Chamber Pot

The chamber pot was first used in ancient Greece in the 6th Century BC, but was widely spread and commonly used in Europe during the Middle Ages and was common until the mid-20th century.



### First Private Flushing Toilet

King Minos of Crete had the first flushing water closet recorded in history, over 2800 years ago.



### First Mechanical Flushing Toilet

In 1596, a flush toilet was invented and built for Britain's Queen Elizabeth I by her Godson, Sir John Harrington. It is said that she refused to use it because it was too noisy.



## About Us

NEOLEX is a premium brand in the sanitaryware and bathware segment, built with a vision to redefine modern living through innovation, quality, and design.

We specialize in offering a complete range of sanitaryware products—from wash basins and water closets to urinals and bathroom accessories—all crafted for durability, hygiene, and elegance.

NEOLEX stands for New Excellence, where every product blends cutting-edge technology with timeless style.

## Quality Standard

We at Neolex sanitaryware have a fully fledged & equipped laboratory with devices like Autoclave, MOR testing machine, water absorption (vacuum gauge), for carrying out regular tests during in process production. The main idea behind this, is to see that our products look different & perform well in this present saturated market.

NEOLEX stands for New Excellence, where every product blends cutting-edge technology with timeless style.



## Corporate Social Responsibility (CSR)"

**Empowering the next generation through education.**

At Neolex Sanitaryware, we believe that true growth goes beyond business—it means creating opportunities for others to grow as well. As part of our community initiative, we provide free education to children within our factory premises, ensuring they receive learning, care, and support in a safe and nurturing environment.



# Message from the MANAGING DIRECTOR

**Dear Customer,**

It is my pleasure to present our updated Price List, reflecting our commitment to delivering high-quality products at competitive prices. At NEOLEX SANITARYWARE, we believe in building long-term relationships based on trust, transparency, and excellence.

This catalog is designed to help you make the right choices with clarity and confidence, and we thank you for your continued support in our journey toward growth and innovation.

**Mr. JIGNESH GOPANI**




# Several Reasons why YOU CHOOSE NEOLEX

Neolex stands out as a trusted name in the sanitaryware and bath solutions industry because of its commitment to quality, innovation, and customer satisfaction. Every product undergoes strict testing to ensure durability, performance, and modern design standards.



## Why Neolex is GOOD CHOICE FOR YOUR BUSINESS

Neolex stands out as a trusted name in the sanitaryware and bath solutions industry because of its commitment to quality, innovation, and customer satisfaction. Every product undergoes strict testing to ensure durability, performance, and modern design standards. Neolex stands out as a trusted name in the sanitaryware and bath solutions industry because of its commitment to quality, innovation, and customer satisfaction. Every product undergoes strict testing to ensure durability, performance, and modern design standards.





# INDEX

## SANITARYWARE

- 01 ONE PIECE WATER CLOSET
- 05 WALL HUNG WATER CLOSET
- 07 ONE PIECE BASIN
- 09 TABLE TOP
- 11 BASIN WITH PEDESTAL - FULL
- 12 BASIN WITH PEDESTAL - HALF
- 12 WALL MOUNTED WASH BASIN
- 13 WASH BASIN
- 15 EUROPEAN WATER CLOSET - EWC
- 16 ORRISA PAN & CITY PAN URINAL
- 17 ACCESSORIES



## TAPWARE

- 20 NEPTUNE SERIES
- 21 NETCONG SERIES
- 22 N-WAY SERIES
- 23 NAPIRE SERIES



# PRODUCT FEATURES



## Rimless Design

A rimless flushing system is an advanced toilet design that enhances hygiene and cleaning efficiency by eliminating the traditional rim around the toilet bowl. Instead of water flowing from under a rim, it is directed through a specially designed flushing channel that evenly distributes water around the entire bowl.

## 1D Flushing

1D (One-Direction) Flushing means the water flows in a single straight direction inside the toilet bowl. The water enters from the back/top side and moves forward in a single path, covering the bowl in one sweep.

## 3D Flushing

In 3D flushing, water enters the toilet bowl from three different directions around the rim. These three water streams create a circular swirling motion (vortex effect) inside the bowl.

## 360 Cleaning

In 360 flushing, water flows all around the rim in a complete circle (360° motion). Instead of coming from just one side (like 1D) or two/three sides (like 2D or 3D), the water runs uniformly along the entire rim channel.

## Anti Germ

These compounds kill or inhibit bacteria and germs that usually grow on moist toilet surfaces. The smooth, protective layer also makes it harder for dirt, stains, and waste to stick, keeping the bowl cleaner for longer.

## Washdown Flushing

The way wash down flushing works is very simple. It will use the weight and gravitational flow of water from a toilet bowl. It will save your water effectively as it includes dual flushing.

## 2D Flushing


In 2D flushing, water enters the toilet bowl from two opposite sides of the rim. The two water streams move along the bowl surface and meet at the center, pushing waste forward and downward.

## 6D Flushing

In 6D flushing, water flows through six specially designed outlets in the toilet rim and jet. These outlets are positioned in such a way that the water enters from multiple angles and combines with a powerful bottom jet.

## Soft Close

A soft-close toilet seat cover is a specially designed seat and lid with built-in slow-motion hinge mechanism. Instead of slamming shut, the cover closes gently and quietly when pushed.



ONE PIECE WATER CLOSET |



**NEW-HAVEN**

670X385X665mm  
Siphonic | 6D  
QQ soft seat cover and fitting  
accessories

#OPW1018S9 : S-Trap 220mm (9")



**NEW-HOPE**

665X355X750mm  
Siphonic | 3D  
QQ soft seat cover and fitting  
accessories

#OPW1018S9 : S-Trap 220mm (9")



**NIXA**

660X345X771mm  
Siphonic jet flushing  
QQ soft seat cover and fitting  
accessories

#OPW7008S9 : S-Trap 220mm (9")



**NOBLE**

665X335X765mm  
Siphonic - S-Trap | 1D Silent Flushing  
QQ soft seat cover and fitting  
accessories

#OPW0777S9 : S-Trap 220mm (9")

"Built-in Jet" Available in All Model.  
Check price list Table



-  Flushing Technology
-  Siphonic Flushing
-  Rimless Design
-  Soft Close Seat Cover

### NAIROBI

665X370X750mm  
Reverse Siphonic | 3D  
QQ soft seat cover and fitting accessories

#OPW7007S9 : S-Trap 220mm (9")



-  Flushing Technology
-  Siphonic Flushing
-  Rimless Design

### NOVEL

665X355X730mm  
Siphonic - S-Trap | 6D  
QQ soft seat cover and fitting accessories

#OPW9006S9 : S-Trap 220mm (9")

#OPW9006S12 : S-Trap 300mm (12")



-  Flushing Technology
-  Siphonic Flushing
-  Rimless Design
-  Dual Flush

### NITRO

670X360X730mm  
Siphonic | 4D  
QQ soft seat cover and fitting accessories

#OPW7013S9 : S-Trap 220mm (9")



-  Washdown Flushing
-  Dual Flush

### NIBLEY

685X360X750mm  
Washdown  
QQ soft seat cover and fitting accessories

#OPW5001S9 : S-Trap 220mm (9")

#OPW5001P : 4"



-  Rimless Design
-  Washdown Flushing

### NILES

665X355X730mm  
Rimless, Washdown  
QQ soft seat cover and fitting accessories

#OPW9010S9 : S-Trap 220mm (9")

#OPW9010S12 : S-Trap 300mm (12")



-  Flushing Technology
-  Siphonic Flushing
-  Rimless Design

### NEPHI

640X365X750mm  
Rimless, Siphonic | 3D  
QQ soft seat cover and fitting accessories

#OPW9007S9 : S-Trap 220mm (9")

**"Built-in Jet"** Available in All Model.  
Check price list Table



Flushing Technology



Siphonic Flushing



Rimless Design

**NISSAN**

650X350X735mm  
Siphonic - S-Trap | 5D  
QQ soft seat cover and fitting accessories

#OPW9004S9 : S-Trap 220mm (9")

#OPW9004S12 : S-Trap 300mm (12")



Flushing Technology



Siphonic Flushing



Rimless Design

**NEXION**

645X345X760mm  
Rimless, Sphyphonic | 2d  
QQ soft seat cover and fitting accessories

#OPW7006S9 : S-Trap 220mm (9")



Washdown Flushing



Dual Flush

**NEVADA**

665X350X720mm  
Washdown  
QQ soft seat cover and fitting accessories

#OPW4001S9 : S-Trap 220mm (9")

#OPW4001P : P-Trap 180mm



Flushing Technology



Siphonic Flushing



Rimless Design

**NOMAS**

645X350X730mm  
Siphonic - S-Trap | 5D  
QQ soft seat cover and fitting accessories

#OPW7004S12 : S-Trap 300mm (12")



Flushing Technology



Siphonic Flushing



Rimless Design

**NGOZI**

665X355X750mm  
Siphonic - S-Trap | 2D  
QQ soft seat cover and fitting accessories

#OPW7005S9 : S-Trap 220mm (9")



Washdown Flushing



Rimless Design



Dual Flush

**NEXUS**

640X340X730mm  
Washdown - S/P-Trap  
QQ soft seat cover and fitting accessories

#OPW7001S9 : S-Trap 220mm (9")

#OPW7001S12 : S-Trap 300mm (12")

#OPW7001P : P-Trap 180mm

## ONE PIECE WATER CLOSET

"Built-in Jet" Available in All Model.  
Check price list Table



Washdown  
Flushing



Dual  
Flush

### NASCO

650X350X800mm  
Washdown  
QQ soft seat cover and fitting  
accessories

#OPW9012S9 : S-Trap 220mm (9")

#OPW9012P : P-Trap 180mm



Washdown  
Flushing



Dual  
Flush

### NOVI (baby)

500X280X575mm  
Washdown  
PP soft seat cover and fitting  
accessories

#OPW2110S8 : S-Trap (8")



Washdown  
Flushing



Dual  
Flush

### NEBO

660X345X755mm  
Washdown  
QQ soft seat cover and fitting  
accessories

#OPW7012S9 : S-Trap 220mm (9")



Washdown  
Flushing



Dual  
Flush

### NYSSA

500X280X575mm  
Washdown  
QQ soft seat cover and fitting  
accessories

#OPW7011S9 : S-Trap 220mm (9")



Washdown  
Flushing



Dual  
Flush

### NORD

665X360X735mm  
Washdown  
QQ soft seat cover and fitting  
accessories

#OPW6002S9 : S-Trap 220mm (9")

#OPW6002P : P-Trap 180mm




Washdown  
Flushing

### NEAT

625X350X727mm  
Washdown  
QQ soft seat cover and fitting  
accessories

#OPW7010S9 : S-Trap 220mm (9")



## WALL HUNG WATER CLOSET



### NAMPA

560X420X375mm  
Rimless, Washdown  
QQ soft seat cover

#PWH2008W



Washdown  
Flushing



Rimless  
Design



### NIRMA

570X420X420mm  
Rimless, Washdown  
QQ soft seat cover

#PWH2013W



Washdown  
Flushing



Rimless  
Design



### NAVY

505X345X355mm  
Washdown  
QQ soft seat cover

#SWH0107P



Flushing  
Technology



Rimless  
Design



**NORRIS**  
500X370X330mm  
Rimless, Washdown  
QQ soft seat cover

#SWH0110P



Washdown  
Flushing



Rimless  
Design



**NICOLA**  
535X355X365mm  
Rimless, Syphonic  
QQ soft seat cover

#SWH0111P



Syphonic  
Flushing



Rimless  
Design



Soft Close  
Seat Cover



**NETO**  
485X345X310mm  
Washdown - 95mm  
QQ soft seat cover

#SWH0103P



Washdown  
Flushing



Soft Close  
Seat Cover



**NICE**  
520X350X340mm  
Washdown  
QQ soft seat cover

#SWH0102P  
#SWH0102PJ



Washdown  
Flushing



Soft Close  
Seat Cover



**NAVAS**  
510X350X345mm  
Washdown - 98mm  
QQ soft seat cover

#SWH0105P  
#SWH0105PJ



Washdown  
Flushing



Soft Close  
Seat Cover



**NIMBA**  
495X350X355mm  
Washdown - 95mm  
QQ soft seat cover

#SWH0108P  
#SWH0108PJ



Washdown  
Flushing



Soft Close  
Seat Cover



**NOYO**  
505X360X345mm  
Washdown - 95mm  
QQ soft seat cover

#SWH0101P



Washdown  
Flushing



Soft Close  
Seat Cover



**NETICK**  
470X350X350mm  
Rimless, Washdown  
QQ soft seat cover

#SWH0106P  
#SWH0106PJ



Washdown  
Flushing



Rimless  
Design



**NORO**  
490X360X390mm  
Washdown  
QQ soft seat cover

#SWH0109P  
#SWH0109PJ



Washdown  
Flushing



Soft Close  
Seat Cover



**ONE PIECE  
BASIN**



**NOME**

#OPB1003W  
425X425X850mm



**NEW-EAGAL**

#OPB1006W  
425X335X820mm



**NEKOO**

#OPB10004W  
445X445X845mm



**NUDU**

#OPB10005W  
440X365X850mm



**NARCISO**

#OPB10001W  
760X380X380mm



**NORTH BELLE**

#OPB1007W  
825X400X400mm



**NEWVILLE**

#OPB1008W  
430X440X800mm



**NEERVA**

#OPB1002W  
800X400X400mm



**NETRI**  
550X375X115mm  
#T0801W



**NATICO**  
480X350X105mm  
#T0802W



**NEWZY**  
485X375X135mm  
#T0803W



**NASA-MINI**  
365X250X110mm  
#T0804W



**NASA**  
450X315X135mm  
#T0805W



**NIPOMO**  
600X450X130mm  
#T0806W



**NAOMI**  
600X340X120mm  
#T0807W



**NOIT**  
600X380X135mm  
#T0808W



**NARANJA**  
550X390X160mm  
#T0809W



**NORTH**  
415X345X180mm  
#T0810W



**NESS**  
350X300X120mm  
#T0811W



**NIVALISH**  
415X415X125mm  
#T0812W



**NEFRO**  
400X285X160mm  
#T0813W



**NEXVIA**  
410X410X120mm  
#T0814W



**NIYA**  
485X370X130mm  
#T0815W



**NISHWA**  
510X385X160mm  
#T0816W



**NUVITRO**  
400X305X120mm  
#T0817W



**NEOGA**  
695X355X175mm  
#T0818W



**NAVAJO**  
625X360X135mm  
#T0819W



**NORTON** #EB501BW  
Basin with single Faucet Hole  
550X420X870mm  
Full Pedestal #EB501W  
550X425X875mm



**NED** #EB502BW  
Basin with single Faucet Hole  
610X490X870mm  
Full Pedestal #EB502W  
610X490X870mm



**NEFFS** #EB503BW  
Basin with single Faucet Hole  
530X425X860mm  
Full Pedestal #EB503W  
530X425X860mm



**NAVIL** #EB504BW  
Basin with single Faucet Hole  
445X525X855mm  
Full Pedestal #EB504W  
445X525X855mm



**NATIVE** #EB505BW  
Basin with single Faucet Hole  
625X450X850mm  
Full Pedestal #EB505W  
625X450X850mm

## BASIN WITH PEDESTAL - FULL



**NISBI** #EB506BW  
Basin with single Faucet Hole  
620X450X840mm  
Full Pedestal #EB506W  
620X450X840mm



**NOBIS** #EB507BW  
Basin with single Faucet Hole  
570X480X870mm  
Full Pedestal #EB507W  
570X480X870mm



**NOCERA** #EB508BW  
Basin with single Faucet Hole  
560X470X860mm  
Full Pedestal #EB508W  
560X470X860mm

## BASIN WITH PEDESTAL - HALF



**NEFS - HALF** #HB509BW  
Basin with single Faucet Hole  
530X435X540mm  
Half Pedestal #HB509W  
530X435X540mm



**NOBIS - HALF** #HB510BW  
Basin with single Faucet Hole  
570X500X475mm  
Half Pedestal #HB510W  
570X500X475mm



**NATIVE - HALF** #HB511BW  
Basin with single Faucet Hole  
560X435X465mm  
Half Pedestal #HB511W  
560X435X465mm


## WALL MOUNTED WASH BASIN



**NATIONAL** #WB512W  
Basin with single Faucet Hole  
550X455X370mm



**NYCER** #WB513W  
Basin with single Faucet Hole  
500X455X390mm





## WASH BASIN



### N-LAB SINK

600X480X235mm  
#VB1001W  
555X405X218mm  
#VB1002W



### NINETY

505X165X190mm  
#VB1003W



### N-CHEF

305X335X135mm  
#B711W



**NINA**  
465X365X135mm  
#B701W



**NASSAU**  
380X265X125mm  
#B702W



**NIWOT**  
415X220X115mm  
#B703W



**NORWOOD**  
470X345X180mm  
#B707W



**NARCO**  
450X360X180mm  
#B705W



**NAPOLEON**  
445X330X220mm  
#B706W



**NEKOOSA**  
375X250X150mm  
#B704W



**NARROW**  
420X340X140mm  
#B708W



**NOOR**  
400X400mm  
#B709W



**NILLO**  
350X400X145mm  
#B710W





## EUROPEAN WATER CLOSET - EWC



### NELSON

655X355X730mm  
PP Regular seat cover  
#EWC0201SW : S-Trap  
#EWC0201PW : P-Trap



### NEWFIELD

545X350X395mm  
PP Regular seat cover  
#EWC0202SW : S-Trap  
#EWC0202PW : P-Trap



### NOKOMIS

520X345X425mm  
PP Regular seat cover  
#EWC0203SW : S-Trap



### NAVASA - S/P TRAP

550X360X390mm  
PP Regular seat cover  
#EWC0204SW : S-Trap



### NIKKI - S/P TRAP

460/470X360X400mm  
PP Regular seat cover  
#EWC0205SW : S-Trap  
#EWC0205PW : P-Trap



### NEVILLE - S/P TRAP

540X460X405mm  
PP Regular seat cover  
#EWC0206SW : S-Trap  
#EWC0206PW : P-Trap



**NIKOPAN-20**  
520X415X280mm  
#OP0401W



**NIKOPAN-23**  
580X435X300mm  
#OP0402W



**NEW**

**NIKOPAN-21RIM**  
555X430X300mm  
#OP0403W



**NEW**

**NIKOPAN-23RIM**  
590X445X300mm  
#OP0404W



**NIKOCITY**  
520X410X190mm  
#OP0404W



**NEWTON**  
400X250X290mm  
#U0301W



**NEGLER**  
590X350X370mm  
#U0302W



**N-CAPS**  
335X340X510mm  
#U0304W




**NAKAMURA**  
320X265X450mm  
#U0303W



**N-SQAUT**  
470X350X100mm  
#U0305W



**N-RIGO**  
310X300X555mm  
#U306W





**NEO FLOW (SIDE HANDLE)**

REGULAR  
#AT101  
PRIME  
#AT102  
SKY  
#AT103



**NEO FLOW - AQUA**

TOP SINGLE FLUSH  
#AT105  
TOP DUAL FLUSH  
#AT104



**NEO FLOW - ATLANTIC**

FRONT PUSH SINGLE FLUSH  
#AT106  
TOP PUSH SINGLE FLUSH  
#AT107  
TOP DUAL FLUSH  
#AT108



**NEO FLOW - ROLEX**

TOP SINGLE FLUSH  
#AT109  
TOP DUAL FLUSH  
#AT110



**CHAIR BRACKET**

#AT112



**RECK BOLT**

#AT113 S.S - Wall hung  
#AT114 S.S - Wash basin



**CONCEALED CISTERN**

FRONT PUSH BUTTON	Pneumatic	Mechanic
	#AT201HP	#AT201HM
HALF FRAME FULL SET		
	#AT201FP	#AT201FM
FULL FRAME FULL SET		
DUAL FLUSH PLATE	#AT202	
CISTERN TANK	#AT203P	#AT203M
HALF FRAME	#AT204HF	
FULL FRAME	#AT204FF	
OUTLET BEND PIPE	#AT205	





**NICO-FLUSH**  
DUAL FLUSHING KIT  
#AT201-8  
#AT201-10  
#AT201-12



**NOON**  
TRAP  
#OPW6002S12 : S-TRAP  
#OPW6002S12 : P-TRAP



**NIWOT**  
INLET AND OUTLET GASKET  
#OPW6002S12



**NICO-WAXSEAL**  
FOR ONE PIECE TOILET  
#AT406



**NIMBUS - SC743**  
SEAT COVER (PP) | 340X440mm  
#AT401W



**NIMBUS - SC784**  
SEAT COVER (PP) | 360X440mm  
#AT402W




**NIMBUS - SC740**  
SEAT COVER (PP) | 360X450mm  
#AT403W



**NIMBUS - SC729**  
SEAT COVER (PP) | 335X420mm  
#AT404W



**NIMBUS - SC742**  
SEAT COVER (PP) | 368X412mm  
#AT405W





**Pure Flow**  
**Pure Strength**

**36** MONTHS  
**WARRANTY**


## ABOUT PTMT

A Blend of Durability and Style PTMT taps have gained popularity for their unique blend of durability and style. This is a high-quality polymer known for its robustness. These taps are resistant to corrosion and offer an extended lifespan. PTMT taps cater to various aesthetic preferences, like sleek modern look to classic design.

## KEY CONSIDERATIONS WHEN CHOOSING PTMT TAPS

When selecting PTMT taps, consider factors such as design, water efficiency, and compatibility with your bathroom's overall theme. Opt for taps that not only enhance the visual appeal of your space but also contribute to water conservation efforts.

Explore a variety of taps for different preferences





**Bib Cock With Flange**

#APT101W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 192 Pcs.



**Long Body Bib Cock With Flange**

#APT102W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**2 In 1 Bib Cock With Flange**

#APT103W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Pillar Bib Cock**

#APT104W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**Angle Cock With Flange**

#APT105W  
SMALL BOX (QTY) : 28 Pcs.  
MASTER BOX (QTY) : 112 Pcs.



**2 Way Angle Cock With Flange**

#APT106W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Swan Neck With Flange  
(desk mount)**

#APT107W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Sink Cock With Flange  
(wall mount)**

#APT108W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Bib Cock With Flange**

#APT101B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 192 Pcs.



**Long Body Bib Cock With Flange**

#APT102B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**2 In 1 Bib Cock With Flange**

#APT103B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Pillar Bib Cock**

#APT104B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**Angle Cock With Flange**

#APT105B  
SMALL BOX (QTY) : 28 Pcs.  
MASTER BOX (QTY) : 112 Pcs.



**2 Way Angle Cock With Flange**

#APT106B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Swan Neck With Flange  
(desk mount)**

#APT107B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Sink Cock With Flange  
(wall mount)**

#APT108B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Bib Cock With Flange**

#APT201W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 192 Pcs.



**Long Body Bib Cock With Flange**

#APT202W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**2 In 1 Bib Cock With Flange**

#APT203W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Pillar Bib Cock**

#APT204W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**Angle Cock With Flange**

#APT205W  
SMALL BOX (QTY) : 28 Pcs.  
MASTER BOX (QTY) : 112 Pcs.



**2 Way Angle Cock With Flange**

#APT206W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Swan Neck With Flange  
(desk mount)**

#APT207W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Sink Cock With Flange  
(wall mount)**

#APT208W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Bib Cock With Flange**

#APT201B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 192 Pcs.



**Long Body Bib Cock With Flange**

#APT202B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**2 In 1 Bib Cock With Flange**

#APT203B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Pillar Bib Cock**

#APT204B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**Angle Cock With Flange**

#APT205B  
SMALL BOX (QTY) : 28 Pcs.  
MASTER BOX (QTY) : 112 Pcs.



**2 Way Angle Cock With Flange**

#APT206B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Swan Neck With Flange  
(desk Mount)**

#APT207B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Sink Cock With Flange  
(wall mount)**

#APT208B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Bib Cock With Flange**

#APT101W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 192 Pcs.



**Long Body Bib Cock With Flange**

#APT102W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.




**2 In 1 Bib Cock With Flange**

#APT103W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Pillar Bib Cock**

#APT104W  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**Angle Cock With Flange**

#APT105W  
SMALL BOX (QTY) : 28 Pcs.  
MASTER BOX (QTY) : 112 Pcs.



**2 Way Angle Cock With Flange**

#APT106W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Swan Neck With Flange  
(desk mount)**

#APT107W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Sink Cock With Flange  
(wall mount)**

#APT108W  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Bib Cock With Flange**

#APT401B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 192 Pcs.



**Long Body Bib Cock With Flange**

#APT402B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**2 In 1 Bib Cock With Flange**

#APT403B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Angle Cock With Flange**

#APT405B  
SMALL BOX (QTY) : 28 Pcs.  
MASTER BOX (QTY) : 112 Pcs.



**2 Way Angle Cock With Flange**

#APT406B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Swan Neck With Flange  
(desk mount)**

#APT407B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Sink Cock With Flange  
(wall mount)**

#APT408B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Wall Mixer With Flange**

#APT409B  
SMALL BOX (QTY) : 6 Pcs.  
MASTER BOX (QTY) : 36 Pcs.



**Bib Cock With Flange**

#APT301B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 192 Pcs.



**Long Body Bib Cock With Flange**

#APT302B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**2 In 1 Bib Cock With Flange**

#APT303B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Pillar Bib Cock**

#APT304B  
SMALL BOX (QTY) : 24 Pcs.  
MASTER BOX (QTY) : 96 Pcs.



**Angle Cock With Flange**

#APT305B  
SMALL BOX (QTY) : 28 Pcs.  
MASTER BOX (QTY) : 112 Pcs.



**2 Way Angle Cock With Flange**

#APT306B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Swan Neck With Flange  
(desk mount)**

#APT307B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



**Sink Cock With Flange  
(wall mount)**

#APT308B  
SMALL BOX (QTY) : 12 Pcs.  
MASTER BOX (QTY) : 48 Pcs.



Troubleshooting Guide			
ITEM NAME	PROBLEM	PROBLEM REASON	CORRECTIVE ACTION
<b>One Piece Closet</b>	Water not coming in bowl area while flushing	Water line not cleaned properly	before installation clean the incoming as well as out going line
		malfunctioning of mechanism of inside tank	change the mechanism
	2. Leaking of water in bowl area	no water in the flush	raise the height change slot to the max level
		Push button is locked	Release the push button
3. Insufficient water quantity for effective flushing	Fitment of mechanism end part and outlet of tank not fitted properly	After opening the mechanism check the fitment	
	Malfunctioing of mechanism inside tank	Change the mechanism	
4. Uneven flow of water from both side of closet	Height change slot adjusted at lower level	Closet is not levelled properly	
	Raise the height change slot to the max level	Level the closet properly	
<b>Wall Hung Closet</b>	1. Water not coming in bowl area while flushing	Flush valve/concealed cistern is not working	Change the flush valve / concealed cistern
		Flush pipe is not inserted up the end of inlet hole	Insert the flush pipe upto the end of inlet
	2. Leaking of water in bowl area	Closet is not levelled	Level the closet properly
3. Insufficient water quantity for effective flushing	Connection between closet outlet and drainage pipe is improper	Engage experienced plumber for proper connection	
	Full threaded waste coupling might be in use	Replace it by slot cut coupling	
<b>Wash Basins / Table Top</b>	1. Overflow choked and foul smell	Bracket and basin fixing may be the reason	Levelling to be checked and rectified
		Tap hole is semi punched from back side	Call plumber and open up the semi punched hole
	2. Water logging in platform and bowl area	Tap hole is semi punched from back side	Call plumber and open up the semi punched hole
<b>EWC/Pan/ Anglo Indian</b>	1. Water not coming in bowl area while flushing	Flush bend is not inserted up to the end of inlet hole	Insert the flush pipe upto the end of inlet
		Levelling issue	To be levelled properly
<b>Couple Closet (2 Pcs Closet)</b>	1. Uneven Flow Of Water From Both Side Of Closet Bowl	Both Arm Of Diverter Pipe Not Inserted Equally In Both Side Of The Closet	Both Arm Of Diverter Pipe Should Be Inserted Equally In Both Side Of The Closet
		Diverter Pipe Not Fixed Properly In The Outlet Of Cistern	Diverter Pipe Should Be Fixed Properly In The Outlet Of Cistern
	2. Water Is Leaking Between The Cistern And Closet	Rubber Ring Containing Bolt Is Not Tightened Properly	Rubber Ring Containing Bolt Should Be Tightened Properly

## COMMON PLUMBING PROBLEMS & QUICK FIXES



### Leaky Faucets

- Problem: Continuous dripping wastes water and raises bills.
- Quick Fix: Replace worn-out washer, O-ring, or cartridge. Use plumber's tape if threads are loose.



### Low Water Pressure

- Problem: Weak water flow from taps or showerheads.
- Quick Fix: Clean aerators and showerheads (soak in vinegar). If house-wide, check main supply valve or call a plumber.



### Clogged Drains (Sink/Bath/Shower)

- Problem: Slow drainage or standing water.
- Quick Fix: Use a plunger or a mixture of hot water, baking soda, and vinegar. For stubborn clogs, use a drain snake.



### Leaky Pipes

- Problem: Water dripping under sinks or walls.
- Quick Fix: Apply pipe clamps or epoxy putty temporarily. Replace damaged sections for a permanent solution.



### Running Toilet

- Problem: Water keeps flowing into the bowl.
- Quick Fix: Adjust or replace the flapper, float, or fill valve inside the tank.



### Water Heater Issues

- Problem: No hot water or inconsistent heating.
- Quick Fix: Check thermostat settings, pilot light, or heating element. Flush the tank to remove sediment build-up.

NO.	NAME OF TEST	AS PER IS 2556 (PART I) 1994	NEOLEX STANDARD TEST VALUES
1.	Crazing test	No Crazing Up to 2 cycle up to 5 hrs Each Cycle or 10 Hours At Pressure 0.34 to .37 Mps.	No Problem Up to Cycle and No Crazing
2.	Water absorption	Everage value should not exceed more than 0.5 %	max 0.30 % show better vitrification
3.	Modulus	Not Less Than 60 Mps.	Min.70 Mps./ Min.80 Mps.
4.	Chemical Resistance	No loss of reflectivity of the glaze when compared with control sample	NO loss Of reflectivity of the glaze when compared with control sample.
5.	Resistance to staining and Burning	No Stain shall remain on either of test piece	No Stain shall remain on either of test piece
6.	Wavy finish	None on all visible surface	None on all visible surface
7.	Discoloration	None on all visible surface	None on all visible surface

## ONE PIECE SPECIFICATION

One piece closet model name	S-Trap 300/12"	S-Trap 220/9"	S-Trap 150	P-Trap	Flushing	Rim	Seat Cover	Jet
NEW-HAVEN		200			6D SIPHONIC	RIMLESS	QQ	Jet
NOVEL	300	200			6D SIPHONIC	RIMLESS	QQ	Jet
NISSAN	300	200			5D SIPHONIC	RIMLESS	QQ	Jet
NOMAS	300				5D SIPHONIC	RIMLESS	QQ	Jet
NITRO		200			4D SIPHONIC	RIMLESS	QQ	Jet
NEW-HOPE		200			3D SIPHONIC	RIMLESS	QQ	Jet
NAIROBI		200			3D REVERSE SIPHONIC	RIMLESS	QQ	Jet
NEPHI		200			3D SIPHONIC	RIMLESS	QQ	Jet
NGOZI		200			2D SIPHONIC	RIMLESS	QQ	Jet
NEXION		200			2D SIPHONIC	RIMLESS	QQ	Jet
NIXA		200			2D SIPHONIC	RIMLESS	QQ	Jet
NOBLE		200			1D SIPHONIC (SILENT)	RIMLESS	QQ	Jet
NEXUS	300	200		180	RIMLESS, WASHDOWN	BOX RIM	QQ	Jet
NEVADA		200		180	WASHDOWN	BOX RIM	QQ	Jet
NIBLEY		200	150		WASHDOWN	BOX RIM	QQ	Jet
NILES	300	200			RIMLESS, WASHDOWN	BOX RIM	QQ	Jet
NASCO		200		180	WASHDOWN	BOX RIM	QQ	Jet
NOVI (baby)			150		WASHDOWN	BOX RIM	PP	
NEBO		200			WASHDOWN	BOX RIM	QQ	Jet
NYSSA		200			BOXRIM, SIPHONIC	BOX RIM	QQ	Jet
NORD		200		180	WASHDOWN	BOX RIM	QQ	Jet
NEAT		200			WASHDOWN	BOX RIM	QQ	Jet

### **Care and cleaning guidelines for Sanitaryware products:**

- Kindly inspect the products at the time of taking delivery.
- NEOLEX is not responsible for any damage occurred in transit.
- The installation should be done by trained technician.
- NEOLEX is not responsible for damage/malfunctioning due to improper installation.
- While cleaning the Ceramic products after installation, please do not use any abrasive cleansers, as they may damage the Ceramic surface. Use warm water and liquid detergent to clean the Ceramic surface. Always test product cleaning solution on an inconspicuous area of the product before applying it to the entire surface.
- Over tightening may cause breakage or chipping of vitreous China.
- The wash basin and water closet are heavy and it is recommended that two persons hold it while being fixed.
- Do not use metal tools or wire brushes to remove any plaster. Use powder type detergent on a damp cloth to provide mild abrasive action to remove any residual plaster or white cement/putty. Clean the outside surface of the vitreous China product with mild soap and warm water. Wipe the entire surface completely dry with a clean, soft cloth.
- Please do not use cement at any hollow portion of the vitreous China product.
- Improper/wrong installation of the products automatically terminates and nullifies this warranty. Also, it does not cover normal wear and tear.
- Do not allow cleansers containing petroleum distillates to remain in contact with Ceramic surface for long periods of time.
- Carefully inspect the new product for damage before installation.
- NEOLEX is not liable or shall not be responsible for any such damage/scratch or for improper installation.

### **Care and cleaning guidelines for Plastic products:**

- While cleaning the cistern/Seat cover after installation, do not use abrasive cleansers, as they may damage the Plastic Products.
- Do not allow cleansers containing petroleum distillates, abrasive cleaners or solvents and Product containing chlorine to remain in contact with Ceramic surface and damage fittings for long periods of time which may lead to leakage and property damage.
- Clean the outside surface of the polypropylene product with mild soap and warm water. Wipe the entire surface completely dry with a clean, soft cloth.
- Carefully inspect the new product for damage before installation.
- NEOLEX is not liable or shall not be responsible for any such damage/scratch or for improper installation.

### **Warranty:**

- NEOLEX plumbing fixtures are warranted free of any manufacturing defects.
- NEOLEX will at its choice, repair, replace, or make appropriate adjustment where its inspection discloses any such defects occurring in normal usage as per terms mentioned below. NEOLEX is not responsible for installation costs.
- NEOLEX reserves the right to examine product in question, and its installation, prior to replacement and will replace free of charge any part that proves defective in material and manufacturing workmanship under normal installation, use and service.
- To obtain warranty service, contact NEOLEX either through your dealer or plumbing contractor or writing to NEOLEX.

### **Warranty Terms:**

- The warranty is applicable from the date of purchase.
- The customer must produce the GST paid invoice/warranty card in original to avail warranty service. In case the purchase has been done by the developer of the apartment, the possession letter from the developer will be treated as equivalent to bill.
- The company is not liable for any damage out of faulty installation.
- The warranty becomes null and void if installation is not done by qualified and experienced technician and/or as per the installation procedure laid down by the company.
- The company is also not liable to pay for any civil or construction work required during installation of new products or replacement/repair of old products.
- The company is not liable for any consequential expenses or damages.
- An equivalent replacement at pro-rata basis shall be provided in case the product has been discontinued, where in the customer has to pay proportionate amount on the current MRP, given the product is within the aforementioned warranty terms.
- If the manufacturing defect is seen within the first year of purchase on the ceramic product, the customer is entitled for free replacement. In case the manufacturing defect is seen after the first year of purchase & before the warranty period expires, the customer has to pay the company on proportionate basis on current MRP for new replacement.
- During the warranty period and under normal use, if the product / component / part is found to be of faulty due to manufacturing defect, the same will be repaired or replaced upon production



## Guide To Choosing The Right Bathroom Sanitary Ware

When building your dream home, selecting the right sanitaryware and bathroom fittings goes beyond aesthetics. It involves technical considerations that ensure durability, functionality, water efficiency, and long-term value.

### **Material composition**

Vitreous china and ceramic are most used for toilets and basins due to their high resistance to staining and ease of cleaning. The glaze in these materials ensures a smooth surface, reducing the accumulation of bacteria or lime scale.

### **Water efficiency and flow control**

Opt for fixtures that include technologies such as dual-flush systems for toilets, which allow users to choose between a full or half-flush, significantly reducing water usage.

### **Ergonomic design and functionality**

The shape and design of basins, WCs, and fittings must promote user comfort and optimise space usage.

### **Plumbing and installation considerations**


Proper alignment with existing plumbing or new installations must be ensured to avoid future leakages or inefficient water flow.

### **Brand reliability and technical support**

Reputable brands typically undergo rigorous testing to ensure their products meet international safety, durability, and water efficiency standards.

### **Long-term maintenance and repair**

It is important to choose fittings with replaceable cartridges and easily accessible internal parts to facilitate repairs without needing full replacement.



**VIEW MORE**

|| Certificate of Compliance

**Certificate of Compliance**

UKcert  
Certification & Inspection

**CE**

We hereby declare that the notified body (UKcert) has issued this product group compliance with the requirements of the Council Directive on Construction Products (EU) 2010/180 General Product Regulation (GPR) Regulation (EU) No 305/2011 (CPR)

Certificate No. CE - 6946

**Manufacturer :** NEOLEX SANITARYWARE

**Address :** SURVEY NO-22, TALAVIYA SANALA, UNCHI MANDAL, HALVAD ROAD, MORBI, TA-DIST MORBI, PIN-363441 (GJ) INDIA

**Products :** SANITARY WARES, BATHFITTINGS, C.P FITTINGS & CERAMIC PRODUCTS.

Complies with the requirements applicable to:

- The quality system file has been assessed, approved and is subject to continuous surveillance awarded by the Council Directive on Construction Products (EU) 2010/180 General Product Regulation (GPR) Regulation (EU) No 305/2011 (CPR)
- This certificate is issued under the following conditions:
  - It applies only to the quality system maintained in the manufacture of above mentioned product and it does not substitute the design or type examination procedure of a product.
  - The certificate remains valid until the manufacturing conditions in the quality system are unchanged.
  - The certificate remains valid if notified body surveillance is maintained.
  - The CE mark on above shown can only be used, under the responsibility of the manufacturer, after completion of CE Declaration of conformity and compliance with all relevant CE Directives. The statement is based on a single evaluation (for report of sample of above mentioned product) & does not imply an assessment of the final production.

The certificate remains valid until the manufacturing conditions in the quality system are unchanged.

The certificate remains valid if notified body surveillance is maintained.

The CE mark on above shown can only be used, under the responsibility of the manufacturer, after completion of CE Declaration of conformity and compliance with all relevant CE Directives. The statement is based on a single evaluation (for report of sample of above mentioned product) & does not imply an assessment of the final production.

Validity of this certificate can be verified at [www.ukcertifications.org.uk/certify](http://www.ukcertifications.org.uk/certify)

Date of Certification: 18th April 2023  
1<sup>st</sup> Surveillance Audit Due: 17th April 2026  
2<sup>nd</sup> Surveillance Audit Due: 17th April 2027  
Certificate Expiry: 17th April 2028

*David*  
Authorised Signatory

The certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request. Reproduction or copying without the written permission of UK Certification & Inspection Limited is prohibited. Copyright No. 1267901

|| ISO 9001: 2015

**Certificate of Registration**

QRO  
QUALITY RESEARCH ORGANIZATION

This is to certify that

**NEOLEX SANITARYWARE**  
SURVEY NO-22, TALAVIYA SANALA, UNCHI MANDAL, HALVAD ROAD, MORBI, TA-DIST MORBI, PIN-363441 (GJ) INDIA

has been independently assessed by QRO and is compliant with the requirement of

**ISO 9001:2015**

**Quality Management System**

For the following scope of activities:

**MANUFACTURING TRADING, EXPORTER OF SANITARY WARES, BATHFITTINGS, C.P FITTINGS**

Date of Certification: 17th April 2023  
1<sup>st</sup> Surveillance Audit Due: 17th April 2026  
2<sup>nd</sup> Surveillance Audit Due: 17th April 2027  
Certificate Expiry: 17th April 2028

Certificate Number: 305250541830Q

IAF, ECAC, IAF, QRO, Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done as mentioned on or before 30th days from date of the audit. If non-compliance with any of the conditions is observed, the certificate shall be suspended/withdrawn.

The validity of this certificate can be verified at [www.qro.org](http://www.qro.org)

This certificate of registration remains the property of QRO Certification LLP and shall be returned immediately upon request.

ISO, 880 Third Floor, Anand Nagar, Near Parkside The West Mall, New Market, Delhi - 110063, (INDIA)  
India Office - QRO Certification LLP  
142, Third Floor, Anand Nagar, Near Parkside The West Mall, New Market, Delhi - 110063, (INDIA)  
Website: [www.qro.org](http://www.qro.org); E-mail: [info@qro.org](mailto:info@qro.org)

|| ISO 14001: 2015

**Certificate of Registration**

QRO  
QUALITY RESEARCH ORGANIZATION

This is to certify that

**NEOLEX SANITARYWARE**  
SURVEY NO-22, TALAVIYA SANALA, UNCHI MANDAL, HALVAD ROAD, MORBI, TA-DIST MORBI, PIN-363441 (GJ) INDIA

has been independently assessed by QRO and is compliant with the requirement of

**ISO 14001:2015**

**Environmental Management System**

For the following scope of activities:

**MANUFACTURING TRADING, EXPORTER OF SANITARY WARES, BATH FITTINGS, C.P FITTINGS**

Date of Certification: 16th May 2023  
1<sup>st</sup> Surveillance Audit Due: 26th May 2026  
2<sup>nd</sup> Surveillance Audit Due: 26th May 2027  
Certificate Expiry: 26th May 2028

Certificate Number: 305250550956

IAF, ECAC, IAF, QRO, Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done as mentioned on or before 30th days from date of the audit. If non-compliance with any of the conditions is observed, the certificate shall be suspended/withdrawn.

The validity of this certificate can be verified at [www.qro.org](http://www.qro.org)

This certificate of registration remains the property of QRO Certification LLP and shall be returned immediately upon request.

ISO, 880 Third Floor, Anand Nagar, Near Parkside The West Mall, New Market, Delhi - 110063, (INDIA)  
India Office - QRO Certification LLP  
142, Third Floor, Anand Nagar, Near Parkside The West Mall, New Market, Delhi - 110063, (INDIA)  
Website: [www.qro.org](http://www.qro.org); E-mail: [info@qro.org](mailto:info@qro.org)

|| ISO 45001: 2018

**Certificate of Registration**

QRO  
QUALITY RESEARCH ORGANIZATION

This is to certify that

**NEOLEX SANITARYWARE**  
SURVEY NO-22, TALAVIYA SANALA, UNCHI MANDAL, HALVAD ROAD, MORBI, TA-DIST MORBI, PIN-363441 (GJ) INDIA

has been independently assessed by QRO and is compliant with the requirement of

**ISO 45001:2018**

**Occupational Health and Safety Management System**

For the following scope of activities:

**MANUFACTURING TRADING, EXPORTER OF SANITARY WARES, BATH FITTINGS, C.P FITTINGS**

Date of Certification: 16th May 2023  
1<sup>st</sup> Surveillance Audit Due: 26th May 2026  
2<sup>nd</sup> Surveillance Audit Due: 26th May 2027  
Certificate Expiry: 26th May 2028

Certificate Number: 305250550975

IAF, ECAC, IAF, QRO, Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done as mentioned on or before 30th days from date of the audit. If non-compliance with any of the conditions is observed, the certificate shall be suspended/withdrawn.

The validity of this certificate can be verified at [www.qro.org](http://www.qro.org)

This certificate of registration remains the property of QRO Certification LLP and shall be returned immediately upon request.

ISO, 880 Third Floor, Anand Nagar, Near Parkside The West Mall, New Market, Delhi - 110063, (INDIA)  
India Office - QRO Certification LLP  
142, Third Floor, Anand Nagar, Near Parkside The West Mall, New Market, Delhi - 110063, (INDIA)  
Website: [www.qro.org](http://www.qro.org); E-mail: [info@qro.org](mailto:info@qro.org)

|| IAPMO

**IAPMO INDIA PRIVATE LIMITED**  
#28/1 & 2, First Floor, Saratnagar, Hosur Main Road, Bangalore, Karnataka 560010

**Certificate of Recognition**

Issued to

**M/s. NEOLEX SANITARYWARE PRODUCTS LABORATORY**  
Address: SURVEY NO-22, TALAVIYA SANALA, UNCHI MANDAL, HALVAD ROAD, MORBI, TA-DIST MORBI, PIN-363441 (GJ) INDIA

IAPMO India recognizes Neolex Sanitarywares Products Laboratory, Morbi, Gujarat, India, as a Manufacturer-to-House Testing Laboratory. IAPMO India agrees to accept test reports prepared by this Laboratory in accordance with the protocols and procedures agreed upon by the laboratory in the Laboratory Listing Agreement. The Laboratory has satisfactorily demonstrated its compliance by ISO/IEC 17025:2017 and has been verified as capable of performing tests to the following standards:


- ASME A112.19.1-2013/CSA B1.8.1-08, Ceramic plumbing fixtures - Sections 8 & 7
- ASME A112.19.14-2018, Six-Liter Water Closets Equipped with a Dual Flushing Device
- Water Efficient Products India 2024 (WEP-8)

IAPMO India shall accept test reports from this Laboratory conducted under the direct control and supervision of this Laboratory's employees. The Laboratory Listing Valid through September 2025 and is subject to the conditions set forth by IAPMO India. Any alteration or falsification of this certificate will constitute grounds for revocation of this Laboratory. Reproduction of this certificate, in whole or in part, for advertising purposes without the expressed written permission of IAPMO India is strictly prohibited.


*Tom Palkov*  
Executive Vice President and Chief Technical Services Officer  
The IAPMO Group

LOOK FORWARD  
WITH HOPE  
NOT BACKWARD  
WITH REGRET

*Team Neolex*



SCAN FOR LOCATION



SCAN FOR CALL

FOLLOW US



## NEOLEX SANITARYWARE

Halvad Road, Unchi Mandal, Morbi - 2, Gujarat - 363642, India.

E-mail : [info@neolexsanitaryware.com](mailto:info@neolexsanitaryware.com) | website : [www.neolexsanitaryware.com](http://www.neolexsanitaryware.com)

MO. +91 97372 39848